MARITEAM
- YACHTING -




# Grand Banks 41 Heritage EU 'MAREAS'

| | |
|---|---|
| LOA (m): | 12.62 m |
| Beam (m): | 4.65 m |
| Draft (m): | 1.17 m |
| Engines: | 2 x 425hp Cummins |
| Cabins: | 2 |
| Homeport: | Sales office, Heeg |
| Price: | € (not set) |

The innovative navigation technology of the Grand Banks Heritage EU was the first Grand Banks model to use pods, which provide more efficient and easier operation, higher speeds, and reduced noise and vibrations in the living spaces.

**MARITEAM YACHTING**
De Draei 29, 8621 CZ Heeg ⚓ The Netherlands ⚓ Phone +31 (0) 582 889254
**info@mariteamyachting.nl** ⚓ **www.mariteamyachting.nl**

## Main specifications

| | |
|---|---|
| Model: | Grand Banks 41 Heritage EU |
| LOA (m): | 12.62 m |
| Beam (m): | 4.65 m |
| Draft (m): | 1.17 m |
| Year: | 2009 |
| Hull Material: | GRP |
| Cabins: | 2 |
| Sleeping places: | 4 |
| Number of main engine(s): | 2 |
| Power of main engine(s) (hp): | 425 |
| Brand of main engine(s): | Cummins |
| Price: | € (not set) |
| VAT status: | Tax payed |
| HIN number: | MY-GNDHA006D909 |

## General

| | |
|---|---|
| Name : | Mareas |
| Shipyard: | Grand Banks Yachts |
| CE-category: | B |
| Cruising speed (Kn): | 16 |
| Maximum speed (Kn): | 24 |
| Displacement (t): | 16.7 |
| Fuel tank (Litre and material): | 1893 L, Plastic |
| Freshwater Tank (Liter and material): | 742 L, Plastic |
| Black water tank (Litre and material): | 193 L, Plastic |
| Superstructure material: | GRP |

| | |
|---|---|
| Deck finish: | GRP/Teak on aft deck |
| Interior finish: | Teak |

## Accommodation

| | |
|---|---|
| Cabins: | 2 x |
| Double bed: | 1 x |
| Single berths: | 2 + 1 in saloon |
| Showers: | 1 x |
| Toilets: | 1 x |
| Heating system (brand, model, type): | WEBASTO 90 S/ST Hot water heating system with: 2x radiator in engine room and storage under salon 3x heat exchanger with thermostat for warm air heating in salon / owners cabin / guest cabin / Toilet |
| Stove: | Gaggenau 4 pits, electric |
| Oven: | Gaggenau |
| Microwave: | Gaggenau |
| Refrigerator: | Coolmatic + Coolmatic CD-30 Cooling Tray |

## Machinery

| | |
|---|---|
| Main engines control (Brand and type): | Cummins DTS Contoller with Zeus System + Joystick |
| Port engine (Brand, type, hp, gearbox): | Cummins QSB, 425 hp, ZF Hurth Marine |
| Engine hours port engine: | 1277 |
| Star engine (Brand, type, hp, gearbox): | Cummins QSB, 425hp , ZF Hurth Marine |
| Engine hours starboard engine: | 1160 |
| Steering system: | Zeus pods |
| Drive (Shaft, IPS, Jet): | Zeus pods |

| | |
|---|---|
| Prop (Number of blades, material): | 2 x 4 blade duo propellor |
| Generator (Brand, type, Kw): | Onan MDKAL 7Kw |
| Generator hours: | 120 |
| Water presure pump (Brand, model): | Schurflo, 253-220-00 |
| Hot water system: | Seaward products, S-1150-W, K-08, 11 USG, 240V |
| Oil change system: | Jabsco 17830-0012 |

## Electrical system

| | |
|---|---|
| DC system (V) AC system (V): | 12 V / 230V |
| Battery charger (V/W/Amp): | Mastervolt Mass Combi 12/2000-100 |
| Inverter (V/W/Amp): | Mastervolt Mass Combi 12/2000-100 |
| House battery (Number of battery,type, total Amp, year): | 3 x |
| Start battery (Number of battery,type, total Amp, year): | 2 x |

## Safety system

| | |
|---|---|
| Life raft: | Plastimo Transocean 6 pers. |
| Electrical bilge pump: | 4 x Rulemate 2000 |
| Fire extinguisher engine room: | Present, automatic |
| Fire alarm: | Yes + CO - detector in salon, owners cabin, guest cabin + smoke detector in salon |
| Horn: | Wolo Marine Horn, 125, 12V Dual Horn |

## Navigation system

| | |
|---|---|
| Compass: | Ritchie PN-201-Navigator 12V |
| Radar : | Raymarine 4KW 48nm |
| Autopilot: | Smartcraft Precision Pilot |
| Depth meter: | Raymarine ST70 |
| VHF: | Raymarine 240E (steering position connection and flybridge) + Icom M73 handheld |
| AIS: | Raymarine transucer/receiver met separate VHF antenne |

## Equipment

| | |
|---|---|
| Tender: | Bombard AX500, outboard motor; Tohatsu 9,8hp |
| Tender crane: | Davit Steelhead WD800 |
| Gangway: | Allpa teak with stainless steel railing; on rails adjustable in height |
| Anchor: | Rocna 25 kg + stainless steel anchor + approx. 90m stainless steel anchor chain |
| Windlass: | Lofrans Tigress 1200W, 12V |
| Deckwash: | present |


MAREAS
07-79-YT
MARITEAM
YACHTING



MARITEAM


MAREAS
07-79-YT
MARITEAM



MAREAS
07-79-YT
MARITEAM


MAREAS
07-79-YT
MARITEAM



MARITEAM



MARITEAM


MARITEAM


MARITEAM


MARITEAM


MARITEAM


MARITEAM


MARITEAM


MARITEAM


MARITEAM


WD 800
STEELHEAD MARINE
MARITEAM





MARITEAM



MARITEAM


MARITEAM


MARITEAM



MARITEAM
- YACHTING BV -


MARITEAM


MARITEAM



MARITEAM



MARITEAM


MARITEAM


MARITEAM


MARITEAM
YACHTING BV



MARITEAM
YACHTING BV


MARITEAM


MARITEAM


MARITEAM
- YACHTING BV -


MARITEAM
- YACHTING BV -


MARITEAM


MARITEAM



MARITEAM


MARITEAM




MARITEAM


Cummins Onan
Marine Generator
Cummins Onan
MARITEAM



*These particulars are given in good faith as supplied but cannot be guaranteed and cannot be used for contracts.*