



Grand Banks 32 Classic 'Sir Hendrik'

LOA (m): 9.73 m

Beam (m): 3.60 m

Draft (m): 1.14 m

Engines: 1x 135hp Ford Lehman

Cabins:

Homeport: The Netherlands

Price: € (not set)

"Sir Hendrik", one of the latest built Grand Banks 32 Classic. The ship has recently undergone a refitt; she is again tightly in the paint, is completely polished and equipped with a generator and brand new SS watertank. Equipped with bimini top, screens and cockpit cover. This makes the "Sir Hendrik" a real showpiece!



Main specifications

Model:	32 Classic
LOA (m):	9.73 m
Beam (m):	3.60 m
Draft (m):	1.14 m
Year:	1989
Hull Material:	GRP
Cabins:	1
Sleeping places:	2
Number of main engine(s):	1
Power of main engine(s) (hp):	135
Brand of main engine(s):	Ford Lehman
Price:	€ (not set)
VAT status:	Paid

General

Name:	Sir Hendrik
Shipyard:	Grand Banks
Displacement (t):	8
Hull material:	GRP
Deck material:	GRP
Superstructure material:	GRP
Deck finish:	Teak
Window material:	Single
Fuel tank (Litre and material):	1000L, SS
Freshwater Tank (Liter and material):	560L, SS (2019)
Grey water tank (Litre and material):	Yes





Antifouling (Year):	2020
---------------------	------

Accommodation

Force 10, 3-pits gas
Froce 10
Yes
Teak
2 + foldable bed in saloon
1
1
1

Machinery

Engine hours port engine:	4870
Drive (Shaft, IPS, Jet):	Shaftdrive
Shaft lubrication:	Waterlubricated
Generator (Brand, type, Kw):	Allpa 3000rpm
Bowthruster (Brand, type, elec/hyd):	Vetus
Manual bilge pump:	Yes
Water presure pump (Brand, model):	Yes
Hot water system:	Boiler, 40L
Heating system (brand, model, type):	Trumatic
Grey water tank pump:	Yes
Steering system:	Mechanical





Electrical system

House battery (Number of battery,type, total Amp, year):	2x 280 Ah
Start battery (Number of battery,type, total Amp, year):	Allpa 60 Ah + generator
DC system (V) AC system (V):	12V/220V
Inverter (V/W/Amp):	No
Battery charger (V/W/Amp):	Victron 12V/40Amp Centaur

Safety system

Gas detector: Seaward

Navigation system

Depth meter:	Raymarine
VHF:	Simrad RS87
Autopilot:	Simrad

Equipment

Anchor:	20 kg, SS
Windlass:	Yes, manually
Horn:	Yes





These particulars are given in good faith as supplied but cannot be guaranteed and cannot be used for contracts.

